
Security Settings
Settings:
.NET Framework-reliant components
Run components not signed with Authenticode
Disable
Enable
Prompt
Run components signed with Authenticode
Disable
Enable
Prompt
ActiveX controls and plug-ins
Automatic prompting for ActiveX controls
Disable
Enable
Binary and script behaviors
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Binary and script behaviors
Administrator approved
Disable
Enable
Download signed ActiveX controls
Disable
Enable
Prompt
Download unsigned ActiveX controls
Disable
Enable
Prompt
Initialize and script ActiveX controls not marked as safe
Disable
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Initialize and script ActiveX controls not marked as safe
Disable
Enable
Prompt
Run ActiveX controls and plug-ins
Administrator approved
Disable
Enable
Prompt
Script ActiveX controls marked safe for scripting
Disable
Enable
Prompt
Downloads
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Downloads
Automatic prompting for file downloads
Disable
Enable
File download
Disable
Enable
Font download
Disable
Enable
Prompt
Microsoft VM
Java permissions
Custom
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Prompt
Microsoft VM
Java permissions
Custom
Disable Java
High safety
Low safety
Medium safety
Miscellaneous
Access data sources across domains
Disable
Enable
Prompt
Allow META REFRESH
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Prompt
Allow META REFRESH
Disable
Enable
Allow scripting of Internet Explorer Webbrowser control
Disable
Enable
Allow script-initiated windows without size or position con
Disable
Enable
Allow Web pages to use restricted protocols for active co
Disable
Enable
Prompt
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Display mixed content
Disable
Enable
Prompt
Don't prompt for client certificate selection when no cert
Disable
Enable
Drag and drop or copy and paste files
Disable
Enable
Prompt
Installation of desktop items
Disable
Enable
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Launching programs and files in an IFRAME
Disable
Enable
Prompt
Navigate sub-frames across different domains
Disable
Enable
Prompt
Open files based on content, not file extension
Disable
Enable
Software channel permissions
High safety
Low safety
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Medium safety
Submit nonencrypted form data
Disable
Enable
Prompt
Use Pop-up Blocker
Disable
Enable
Userdata persistence
Disable
Enable
Web sites in less privileged web content zone can navigat
Disable
Enable
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Enable
Web sites in less privileged web content zone can navigat
Disable
Enable
Prompt
Scripting
Active scripting
Disable
Enable
Prompt
Allow paste operations via script
Disable
Enable
Prompt
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel


Security Settings
Settings:
Allow paste operations via script
Disable
Enable
Prompt
Scripting of Java applets
Disable
Enable
Prompt
User Authentication
Logon
Anonymous logon
Automatic logon only in Intranet zone
Automatic logon with current username and passworc
Prompt for user name and password
Reset custom settings
Reset to:
Medium
Reset
OK
Cancel